




# Hukseflux heat flux sensors for industrial use

Sensors for process control, emergency response, studies of insulation

Hukseflux is specialised in measurement of heat transfer and thermal quantities. We have designed and supplied sensors for many industrial projects. Our experience includes a variety of environments such as coal fired boilers, fluidised beds, solar concentrators and offshore flare systems. Relative to conventional monitoring based on temperature, use of heat flux sensors improves insight in processes, behaviour of materials, and often leads to faster response times for process control and emergency response.

### Introduction

Hukseflux Thermal Sensors, market leader in heat flux sensors, offers a range of dedicated sensors and systems for use in industrial environments. Our measuring instruments for industrial use are often designed in close cooperation with customers. This brochure briefly looks at the benefits of heat flux measurement for industrial applications, and the sensors, standard or custommade, recommended for such jobs. Please contact us to discuss your specific application.



**Figure 1** CBW01 sensor for detection of fouling on walls of pipes or tubes.

# Process control and emergency response

Many industrial systems rely on temperature measurements. Heat flux measurements offer additional information. A change of temperature usually goes together with a heat flux. Measuring both quantities offer a better picture of what is happening. Heat flux can often be detected earlier than a temperature change.

This offers advantages, for example better process control and faster response to emergency situations.

# Example applications

- Coal fired boilers: sensors measure heat flux and surface temperature on the furnace wall.
   The heat flux sensors serve as boiler fouling sensors. Surface temperature is used for assessment of expected tube lifetime.
- Study of industrial insulation: measure the heat flux and temperature difference of insulation packages to verify its performance.
- Solar concentrators: sensors measure the concentrated solar radiation on the boiler surface. The measurement offers an indication of the quality of mirror performance and sets off an alarm in case the heat flux level is out of range.
- Flare systems: flare radiation sensors are one
  of the elements in the safety system, offering
  a measurement of the level of heat load on
  people and equipment.
- Fluidized beds, cokers, distillation columns: heat flux sensors mounted on the shells monitor the process and detect the formation of deposits. Using this information, maintenance of systems is scheduled.

Copyright by Hukseflux. Version 2304. We reserve the right to change specifications without prior notice Page 1/4. For Hukseflux Thermal Sensors go to www.hukseflux.com or e-mail us: info@hukseflux.com



# Studies of insulation

Using heat flux sensors, users can analyse the actual performance of insulation materials. You then must measure two temperatures and a heat flux. Averaging over time, for example during several days, will give an idea of the performance of insulation materials.


**Table 1** Hukseflux capabilities for industrial applications.

Field of application	Purpose	Comment
Industrial equipment like furnaces, boilers, fluidised beds, distillation columns and ovens	Verification of thermal behaviour Trend-monitoring and comparative measurement of heat flux and surface temperature in industrial installations, such as the shell of aluminium reduction cells	Sensor model IHF01 and IHF02 Measures heat flux and surface temperature. Up to 900 °C. IHF02 is 25 x more sensitive than IHF01. ATEX certificate optional
Flame research	High heat flux measurement and high-intensity flames	Sensor model HFS01 very robust all-metal / ceramics instrument water-cooled body and sensor
Coal fired boilers	Steam pipe heat flux measurement Fouling detection Sootblower control Tube lifetime assessment Flame position monitoring	Sensor model CBW01 Sensor on steam pipe Certification according to ASME, CE, EN, PED, IBR
LNG tankers	Insulation studies Study and improvement of industrial insulation	Sensor model HFP03 and FHF05 series Sensor on insulation material combined with an accurate temperature difference measurement. See our system TRSYS20
Solar concentrators	Steam pipe heat flux measurement Studies of concentrated solar irradiance (800 x concentrated direct solar radiation) Mirror performance monitoring System safety: heat flux overrange	Sensor model CBW01  Certification according to ASTM  Heat fluxes up to 700 x 10 <sup>3</sup> W/m <sup>2</sup>

Flare systems	Flare heat flux measurement Personnel safety Equipment safety	Sensor model HF02 EN (EExi) certification provided with the sensor Always in combination		
				with other decision support systems
			Fluidised beds	Shell heat flux measurement
	Cokers	Accurate process monitoring	Typical mounting outside on the	
Distillation columns	Monitoring of the formation of deposits	vessel wall / shell. Combination of		
	Scheduling of maintenance	long-term heat flux, temperature and meteorological parameters ATEX certified		



# Some of our references











**Figure 2** Verification of thermal behaviour of industrial equipment with the very robust IHF02 sensor. Here on a frame with magnets for surveying.



**Figure 3** Mobile heat flux measurements at an industrial flare system site.

#### **Standards**

Products are manufactured under ISO 9001 quality management system. If applicable, the sensors comply with industrial standards such as ITS90, ANSI, DIN, and BS. Sensors for hazardous areas can be manufactured according to safetystandards like EExi, ATEX / Cenelec and NAMUR.




**Figure 4** HF02 flare radiation monitor / heat flux sensor as used in permanent installation; EN (EExi) certified.



**Figure 5** Ultra sensitive heat flux sensor IHF02 for verification of thermal behaviour of industrial equipment.





**Figure 6** CBW01 heat flux sensor on a steam pipe. The sensor is located in the weld material at the crown of the tube. Typical use is in coal fired boilers and solar concentrators. Wiring is led away in the vertical tube to a connection box through the boiler insulation material. CBW01 is ASME certified.

### **About Hukseflux**

Hukseflux is the leading expert in measurement of energy transfer. We design and manufacture sensors and measuring systems that support the energy transition. We are market leaders in solar radiation- and heat flux measurement. Customers are served through the main office in the Netherlands, and locally owned representations in the USA, Brazil, India, China, Southeast Asia and Japan.

Would you like more information? E-mail us at: info@hukseflux.com