

Pyranometer calibration – cost effective - worldwide

Customers prefer Hukseflux pyranometers because our affordable calibration services result in lowest total cost of ownership

Pyranometers must be calibrated every 2 years. Such recalibration is considered good practice for any measuring instrument and is required by ISO, IEC and WMO standards covering PV system performance - and meteorological monitoring. Cost of recalibration however can be high. Hukseflux helps you to reduce these costs. Pyranometer users prefer Hukseflux pyranometers for their unsurpassed measurement accuracy and their lowest total cost of ownership.

Introduction

Hukseflux designs and manufactures sensors and measuring systems that support the energy transition. We are market leaders in solar radiation- and heat flux measurement. Did you know that Hukseflux offers worldwide calibration services as well? Users prefer Hukseflux pyranometers not only for their quality, but also for their cost-saving calibration services.

Requirements of ISO, IEC and WMO

Quality management systems such as ISO 9001 require regular calibration of all traceable measuring instruments. IEC 61724-1, a standard covering PV system performance monitoring, requires pyranometer calibration every 2 years. The WMO manual, describing best practice in meteorological observations, requires the same.

Calibration determines cost-over-life

High-accuracy calibration of pyranometers is not easy. It is therefore expensive. Hukseflux helps you to reduce costs.

A total cost of EUR 500 for handling, transport plus calibration is a realistic estimate for calibration of a single pyranometer with a better than 1.5 % uncertainty. Over a 15 year life, the cost of 7 calibrations totals EUR 3500 comparable to the instrument purchase costs. We help you attain lowest total cost of ownership in 2 ways:

 Hukseflux has calibration facilities in the main global economies. In many cases it is possible to avoid cross-border transport, and all associated paperwork, for example to get permission for tax-free export and import.



Figure 1 pyranometer and pyrheliometer users are supported by the worldwide Hukseflux calibration and servicing organisation



Figure 2 calibration of all major pyranometer brands and models

attractive quantity discounts



Sensor calibration service capabilities

 Table 1 Hukseflux' most popular calibration services

HUKSEFLUX' MOST COMMON CALIBRATION SERVICES				
calibration	brand and model	calibration method	comment	
item				
Pyranometers	Hukseflux	Pyranometers: conform ISO 9847:1992 Solar	Hukseflux has	
and	LP, SR, DR series	energy - Calibration of field pyranometers by	limited repair	
pyrheliometers		comparison to a reference pyranometer, type IIc	possibilities for	
	Kipp & Zonen	Pyrheliometers: laboratory developed method,	other than	
	CMP, SMP, CHP, SHP series	based on the same standard as for	Hukseflux brand	
		pyranometers.	sensors.	
amplifiers	Hukseflux – TR amplifiers	Calibration and re-programming.		
		Calibration traceable to traceable voltage and		
	Kipp & Zonen AMPBOX series	current standards.		

Checklist / requirements for recalibration of sensors

 Table 2 Checklist for calibration services

subject	responsible	responsibility	
-	party		
contact our Service desk / Service form	customer	Before service, contact <u>service@hukseflux.com</u> . Preferably, complete the Service (RMA) form and e-mail it to us. We need to know the sensor model(s), quantity and serial number(s), the sensor condition, and information what servicing is needed; often this is not only calibration but also repair.	
prices / quantity discounts	customer and Hukseflux	Increase efficiency; ask for our quantity discounts for batches of 3 or more pyranometers in one order. Please note that your shipment costs per instrument also benefit from batch processing. Cost of calibration for other-than-Hukseflux brand sensors may be higher than that of Hukseflux brand sensors.	
calibration: list of permissible sensors	customer	Hukseflux can calibrate all sensors of the Hukseflux brand, except model DR03. In case of other than Hukseflux brand sensors only: transmit the brand name and a scanned copy of the original calibration certificate. Hukseflux may not be capable of calibrating your sensor. Wait for our reply. We can calibrate the following pyranometer models of the Kipp & Zonen brand: CMP/SMP 10, 11, 21 produced after 01-01-2008 or calibrated at the manufacturer with the following references: CMP21 70114, 70115 and 201242 CM/CMP/SMP 3, 4, 5, 6 produced after 01-01-2006 or calibrated at the manufacturer with the following references CMP6 910012, CMP3 60193 and 71176 and the following pyrheliometer models of the Kipp & Zonen brand: CH/CHP/SHP 1, only produced after 01-01-2011 or calibrated at the manufacturer with the following references: CHP1 ref 1 and ref 2.	
options	customer	As an option, you may order a certificate including your name and contact information	
conditions logistics: supply	customer customer	Only if different than usual: specify required calibration reference conditions. Specify shipment responsibility. Usually the customer will be responsible for shipment both ways.	
quotation	Hukseflux	The quotation will include a reference number. Possibly, in case of unclear condition of the sensor, the quotation includes a diagnostics fee. This fee must also be paid in case the sensor is irreparable. In case sensors are not clean, a cleaning fee may be charged per sensor.	
order	customer	Include the Hukseflux reference number (usually our quotation/proforma invoice number)	
confirmation	Hukseflux	Hukseflux will issue a confirmation with an estimated delivery time	
calibration	Hukseflux	Typical processing time is 15 working days. This can be shortened upon request.	
logistics: pickup	customer	Please follow Hukseflux shipment directions.	





Figure 3 a typical calibration system at Hukseflux

Services: what we do

- perform accurate calibration of solar radiation sensors
- work according to established standards
- calibrate major brands
- in EU and USA we also calibrate pyrheliometers

Capabilities and restrictions

See next page for solar sensor calibration capabilities and restrictions. Please contact us for more details. In case other-than-Hukseflux brand sensors need extensive servicing or repair, we recommend obtaining this service from the manufacturer.

Certificate

With its products or as part of calibration services, Hukseflux Delft issues calibration certificates with content limited as per ISO/IEC 17025-7.8.1.3. Such a certificate contains the calibration result, an uncertainty, a description of the calibration procedure and the traceability. In case an earlier certificate is supplied with the instrument, we include a reference in our calibration certificate to this earlier certificate. As an option, a certificate including name and contact information of the customer may be ordered.

About Hukseflux

Hukseflux is the leading expert in measurement of energy transfer. We design and manufacture sensors and measuring systems that support the energy transition. We are market leaders in solar radiation- and heat flux measurement. Hukseflux products and services are offered worldwide via our office in Delft, the Netherlands and local distributors.

> Would you like more information? E-mail us at: info@hukseflux.com